



A TO Z HEALTH GUIDE

Sodium and Your CKD Diet: How to Spice Up Your Cooking

What is sodium?

Sodium is a mineral found naturally in foods and is the major part of table salt.

What are the effects of eating too much sodium?

When your kidneys are not healthy, extra sodium and fluid buildup in your body. This can cause swollen ankles, puffiness, a rise in blood pressure, shortness of breath, and/or fluid around your heart and lungs.

How much sodium should I eat as part of a healthy diet?

Most Americans have too much sodium in their diet. A healthy diet should include no more than 2300mg of sodium per day.

How can I reduce sodium in my diet?

There are many herbs and spices that you can use to add flavor to your food instead of salt. Also certain foods have more sodium than others. See the following table for some suggestions on how to reduce sodium in your diet:

**LIMIT THE
AMOUNT
OF...**

**FOOD TO LIMIT
BECAUSE OF
THEIR HIGH
SODIUM
CONTENT**

ACCEPTABLE SUBSTITUTES

LIMIT THE AMOUNT OF...	FOOD TO LIMIT BECAUSE OF THEIR HIGH SODIUM CONTENT	ACCEPTABLE SUBSTITUTES
SALT & SALT SEASONINGS	<ul style="list-style-type: none"> • Table salt • Seasoning salt • Garlic salt • Onion salt • Celery salt • Lemon pepper • Lite salt • Meat tenderizer 	<p>Fresh garlic, fresh onion, garlic powder, onion powder, black pepper, lemon juice, low-sodium/salt-free seasoning blends, vinegar</p>
SALTY FOODS	<p><i>High Sodium Sauces such as:</i></p> <ul style="list-style-type: none"> • Barbecue sauce • Steak Sauce • Soy sauce • Teryaki sauce • Oyster sauce <p><i>Salted Snacks such as:</i></p> <ul style="list-style-type: none"> • Crackers • Potato chips • Corn chips • Pretzels • Tortilla chips • Nuts • Popcorn • Sunflower seeds 	<p>Homemade or low-sodium sauces and salad dressings; vinegar; dry mustard; unsalted popcorn, pretzels, tortilla or corn chips</p>

LIMIT THE AMOUNT OF...	FOOD TO LIMIT BECAUSE OF THEIR HIGH SODIUM CONTENT	ACCEPTABLE SUBSTITUTES
CURED FOODS	<ul style="list-style-type: none"> • Ham • Salt pork • Bacon • Sauerkraut • Pickles, pickle relish • Lox & Herring • Olives 	Fresh beef, veal, pork, poultry, fish, eggs
LUNCHEON MEATS	<ul style="list-style-type: none"> • Hot Dogs • Cold cuts, deli meats • Pastrami • Sausage • Corned beef • Spam 	Low-salt deli meats (if you need to limit phosphorus, these are likely high in phosphorus)

LIMIT THE AMOUNT OF...	FOOD TO LIMIT BECAUSE OF THEIR HIGH SODIUM CONTENT	ACCEPTABLE SUBSTITUTES
PROCESSED FOODS	<ul style="list-style-type: none"> • Buttermilk • Cheese <p>Canned:</p> <ul style="list-style-type: none"> • Soups • Tomato products • Vegetable juices • Canned vegetables <p>Convenience Foods such as:</p> <ul style="list-style-type: none"> • TV Dinners • Canned raviolis • Chili • Macaroni & Cheese • Spaghetti • Commercial mixes • Frozen prepared foods • Fast foods 	Natural cheese (1-2 oz per week)
		Homemade or low-sodium soups, canned food without added salt
		Homemade casseroles without added salt, made with fresh or raw vegetables, fresh meat, rice, pasta, or unsalted canned vegetables

Looking for nutrition guidance? [Contact a CKD dietitian in your area.](#)

Why do I need to limit my sodium intake?

Some salt or sodium is needed for body water balance. But when your kidneys lose the ability to control sodium and water balance, you may experience the following:

- thirst
- fluid gain
- high blood pressure
- discomfort during dialysis

By using less sodium in your diet, you can control these problems.

Hints to keep your sodium intake down

- Cook with herbs and spices instead of salt. (Refer to “Spice Up Your Cooking” section for further suggestions.)
- Read food labels and choose those foods low in sodium.
- Avoid salt substitutes and specialty low-sodium foods made with salt substitutes because they are high in potassium.
- When eating out, ask for meat or fish without salt. Ask for gravy or sauce on the side; these may contain large amounts of salt and should be used in small amounts.
- Limit use of canned, processed and frozen foods.

Some information about reading labels

- Understanding the terms:
 - Sodium Free - Only a trivial amount of sodium per serving.
 - Very Low Sodium - 35 mg or less per serving.
 - Low Sodium - 140 mg or less per serving.
 - Reduced Sodium - Foods in which the level of sodium is reduced by 25%.
 - Light or Lite in Sodium - Foods in which the sodium is reduced by at least 50%.
- Simple rule of thumb: If salt is listed in the first five ingredients, the item is probably too high in sodium to use.

All food labels now have milligrams (mg) of sodium listed. Follow these steps when reading the sodium information on the label:

1. **Know how much sodium you are allowed each day.** Remember that there are 1000 milligrams (mg) in 1 gram. For example, if your diet prescription is 2.3 grams of sodium, your limit is 2300 milligrams per day. Consider the sodium value of other food to be eaten during the day.
2. **Look at the package label.** Check the serving size. Nutrition values are expressed per serving. How does this compare to your total daily allowance? In general, if the sodium level is 500 mg or more per serving, the item is not a good choice. Exceptions: For a packaged entrée up to 600 mg sodium, for a side dish or snack up to 200 mg sodium.
3. **Compare labels of similar products.** Select the lowest sodium level for the same serving size.

How to Spice Up Your Cooking

Giving up salt does not mean giving up flavor. Learn to season your food with herbs and spices. Be creative and experiment for a new and exciting flavor.

What kinds of spices and herbs should I use instead of salt to add flavor?

Try the following spices with the foods listed.

Allspice:

Use with beef, fish, beets, cabbage, carrots, peas, fruit.

Basil:

Use with beef, pork, most vegetables.

Bay Leaf:

Use with beef, pork, most vegetables.

Caraway:

Use with beef, pork, green beans, cauliflower, cabbage, beets, asparagus, and in dips and marinades.

Cardamom:

Use with fruit and in baked goods.

Curry:

Use with beef, chicken, pork, fish, green beans, carrots and in marinades.

Dill:

Use with beef, chicken, green beans, cabbage, carrots, peas and in dips.

Ginger:

Use with beef, chicken, pork, green beans, cauliflower and eggplant.

Marjoram:

Use with beef, chicken, pork, green beans, cauliflower and eggplant.

Rosemary:

Use with chicken, pork, cauliflower, peas and in marinades.

Thyme:

Use with beef, chicken, pork, fish, green beans, beets and carrots.

Sage:

Use with chicken, pork, eggplant and in dressing.

Tarragon:

Use with fish, chicken, asparagus, beets, cabbage, cauliflower and in marinades.

Tips for cooking with herbs and spices

- Purchase spices and herbs in small amounts. When they sit on the shelf for years they lose their flavor.
- Use no more than ¼ teaspoon of dried spice (¾ of fresh) per pound of meat.
- Add ground spices to food about 15 minutes before the end of the cooking period.
- Add whole spices to food at least one hour before the end of the cooking period.
- Combine herbs with oil or butter, set for 30 minutes to bring out their flavor, then brush on foods while they cook, or brush meat with oil and sprinkle herbs one hour before cooking.
- Crush dried herbs before adding to foods.

Can I use salt substitutes?

Caution! If you are told to limit potassium in your diet, be very cautious about using salt substitutes because most of them contain some form of potassium. Check with your

doctor or dietitian before using and salt substitute.

Here are some seasoning recipes:

When using the following seasoning recipes, make sure to blend well. Place in a shaker.

American Favorite Blend

5 tsp. onion powder (not onion salt)

1 Tbsp. garlic powder

1 Tbsp. paprika

1 Tbsp. dry mustard

1 tsp. thyme

½ tsp. white pepper

½ tsp. celery seeds

Yield: about ¼ cup (Health Education Assc. Inc., Glenside, PA)

Savory Seasoning

1 ¼ tsp. celery seed

2 Tbsp. crushed marjoram

2 Tbsp. crushed savory

2 Tbsp. crushed thyme

1 Tbsp. crushed basil

Yield: about ½ cup (Nutrition: The Art of Good Eating, Seattle, WA)

Spicy Seasoning

3 Tbsp. celery seed

1 Tbsp. onion powder

1 tsp. garlic powder

2 Tbsp. crushed oregano

1 Tbsp. crushed thyme

1 ½ tsp. ground bay leaf

1 ½ tsp. black pepper

1 ½ tsp. ground cloves

Yield: about ½ cup (Nutrition: The Art of Good Eating, Seattle, WA)

Savory Seasoning Savory Blend

1 tsp. chili powder

2 tsp. ground oregano

2 tsp. black pepper

1 Tbsp. garlic powder

6 Tbsp. onion powder

2 Tbsp. dry mustard

3 Tbsp. paprika

3 Tbsp. poultry seasoning

Yield: about ¾ cup (South Carolina Dept. of Health and Environmental Services)

Experiment and create your own seasoning containing those spices that you like.

Read more about [Sodium and Your CKD Diet: How to Spice Up Your Cooking.](#)

The information shared on our websites is information developed solely from internal experts on the subject matter, including medical advisory boards, who have developed guidelines for our patient content. This material does not constitute medical advice. It is intended for informational purposes only. No one associated with the National Kidney Foundation will answer medical questions via e-mail. Please consult a physician for specific treatment recommendations.